

**DECLARATION OF PERFORMANCE**  
No. 107-CPR-13245-04-00001

1. Unique identification code of the product-type: P107
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding Decor P107 dt 5\*\*\* (all colours)
3. Intended use or uses of the construction product:  
PVC-U profiles for the internal wall/ceiling finishes
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:  
Decor Vermont  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory WFRGENT N.V. 1173 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	D-s3, d2/AVM	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	According to national regulations	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Durability	(23, 06)	EN 13245-2:2008/AC:2009


8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Tom Debusschere

CEO



Hooglede-Gits; 03-12-2012

(signature)

**DECLARATION OF PERFORMANCE**  
No. 138-CPR-13245-04-00002

1. Unique identification code of the product-type: P138
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding Decor P138 dt 1054/1057
3. Intended use or uses of the construction product:  
PVC-U profiles for the internal wall/ceiling finishes
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:  
Decor Vermont  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory WFRGENT N.V. 1173 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	E	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	According to national regulations	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Durability	(23, 03)	EN 13245-2:2008/AC:2009


8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Tom Debusschere

CEO



Hooglede-Gits; 03-12-2012

(signature)

## DECLARATION OF PERFORMANCE

No. 130-CPR-13245-04-00001

1. Unique identification code of the product-type: P130
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding Decor P130 dt 1\*\*\* (all colours)
3. Intended use or uses of the construction product:  
PVC-U profiles for the internal wall/ceiling finishes
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:  
Decor Nordica  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory WFRGENT N.V. 1173 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	E	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	According to national regulations	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Durability	(23, 10)	EN 13245-2:2008/AC:2009

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Tom Debusschere

CEO



Hooglede-Gits; 03-12-2012

(signature)

## DECLARATION OF PERFORMANCE

No. 138-CPR-13245-04-00001

1. Unique identification code of the product-type: P138
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding Decor P138 dt 1156/1158/1159
3. Intended use or uses of the construction product:  
PVC-U profiles for the internal wall/ceiling finishes
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:  
Decor Bee Bo  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory WFRGENT N.V. 1173 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	E	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	According to national regulations	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Durability	(23, 03)	EN 13245-2:2008/AC:2009

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Tom Debusschere

CEO



Hooglede-Gits; 03-12-2012

(signature)

**DECLARATION OF PERFORMANCE**  
No. 139-CPR-13245-04-00001

1. Unique identification code of the product-type: P139
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding Decor P139 dt 5\*\*\* (all colours)
3. Intended use or uses of the construction product:  
PVC-U profiles for the internal wall/ceiling finishes
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:  
Decor Primavera  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory WFRGENT N.V. 1173 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	D-s3, d2/AVM	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	According to national regulations	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Durability	(23, 03)	EN 13245-2:2008/AC:2009


8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Tom Debusschere

CEO



Hooglede-Gits; 03-12-2012

(signature)

**DECLARATION OF PERFORMANCE**  
No. 2750-CPR-13245-04-00001

1. Unique identification code of the product-type: P2750
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding standard PVC shiplap 150 P2750 mass coloured (all colours)
3. Intended use or uses of the construction product:  
PVC-UE profiles for the external wall finishes
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:  
Standard shiplap 150 (P2750)  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory WFRGENT N.V. 1173 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	D-s3, d2/AVM	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	NPD	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Mechanical resistance	(23, 20)	EN 13245-2:2008/AC:2009
Durability	(A.2)	EN 13245-2:2008/AC:2009


8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Tom Debusschere

CEO



Hooglede-Gits; 03-12-2012

(signature)

**DECLARATION OF PERFORMANCE**  
No. 2750-CPR-13245-04-00002

1. Unique identification code of the product-type: P2750
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding standard PVC shiplap 150 P2750 coated with Decoroc (all colours)
3. Intended use or uses of the construction product:  
PVC-UE profiles for the external wall finishes
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:  
Standard shiplap 150 (P2750)  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory WFRGENT N.V. 1173 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	D-s3, d0/AVM	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	NPD	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Mechanical resistance	(23, 20)	EN 13245-2:2008/AC:2009
Durability	(A.2)	EN 13245-2:2008/AC:2009

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Tom Debusschere

CEO



Hooglede-Gits; 03-12-2012

(signature)

## DECLARATION OF PERFORMANCE

No. 2750-CPR-13245-04-00003

1. Unique identification code of the product-type: P2750
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding standard PVC shiplap 150 P2750 foiled (all colours)
3. Intended use or uses of the construction product:  
PVC-UE profiles for the external wall finishes
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:  
Standard shiplap 150 (P2750)  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory WFRGENT N.V. 1173 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	D-s3, d2/AVM	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	NPD	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Mechanical resistance	(23, 20)	EN 13245-2:2008/AC:2009
Durability	(A.2)	EN 13245-2:2008/AC:2009

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Tom Debusschere

CEO



Hooglede-Gits; 03-12-2012

(signature)

## DECLARATION OF PERFORMANCE

No. 1015-CPR-13245-04-00001

1. Unique identification code of the product-type: P1015
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding standard PVC shiplap P1015 mass coloured (all colours)
3. Intended use or uses of the construction product:  
PVC-UE profiles for the external wall finishes
4. Name, registered trade name or registered trade mark and contact address of the distributor:  
Standard shiplap P1015  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory EXOVA WARRINGTONFIRE 0833 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	D-s3, d2/AHM	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	None	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Mechanical resistance	(23, 01)	EN 13245-2:2008/AC:2009
Durability	(A.2)	EN 13245-2:2008/AC:2009

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the distributor identified in point 4.

Signed for and on behalf of the distributor by:

Tom Debusschere

CEO



Hooglede-Gits; 17-06-2013

(signature)

## DECLARATION OF PERFORMANCE

No. 1017-CPR-13245-04-00001

1. Unique identification code of the product-type: P1017
2. Type, batch or serial number or any other element allowing identification of the construction product: Cladding standard PVC shiplap P1017 mass coloured (all colours)
3. Intended use or uses of the construction product:  
PVC-UE profiles for the external wall finishes
4. Name, registered trade name or registered trade mark and contact address of the distributor:  
Standard shiplap P1017  
DECEUNINCK N.V.; BRUGGESTEENWEG 164; 8830 HOOGLEDE-GITS; BELGIUM
5. System or systems of assessment and verification of constancy of performance of the construction product: System 3
6. The notified testing laboratory EXOVA WARRINGTONFIRE 0833 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) / descriptive documentation of the product under system 3.
7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	D-s3, d2	EN 13245-2:2008/AC:2009
Emissions of dangerous substances	None	EN 13245-2:2008/AC:2009
Resistance to fixings	See installation instructions	EN 13245-2:2008/AC:2009
Mechanical resistance	(23, 01)	EN 13245-2:2008/AC:2009
Durability	(A.2)	EN 13245-2:2008/AC:2009


8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the distributor identified in point 4.

Signed for and on behalf of the distributor by:

Tom Debusschere

CEO



Hooglede-Gits; 17-06-2013

(signature)